

Sample Received: **March 30, 2026**

COA Issued: **April 23, 2026**

PRODUCT INFORMATION

Vendor: **DRYP TIDES** Sample Name: **Glow Blend** Sample Type: **Blue lyophilized powder** Lot Number: **GLOW042026-MG** MW: **403.2, 1419.3, 4964.2 g/mol**

ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS

Purity: RP-HPLC (214 nm)




Content: HPLC quantitation

TEST RESULTS

Specification	Result	Method	Status
Identity: Glow Blend	GHK-Cu, BPC-157, TB-500	MALDI-MS	✓ Conforms
Content		HPLC Quantitation	✓ Conforms
Overall Purity	99.9%	RP-HPLC (214 nm)	✓ Conforms
Heavy Metals	<0.001 ppm	<USP231>	✓ Conforms
Endotoxin	<0.005 EU/mL	<USP85>	✓ Conforms

ANALYTICAL DATA

HPLC Chromatogram (Retention Time: 2.100, 5.733, 6.058 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



Shane Straight

Shane Straight, M.S.

Principal Chemist, Bioviridian Inc.