




Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

NAD+ 300 mg/mL

Report To:
DRYP TIDES

Compound: NAD+
Quantity: 300 mg/mL
Laboratory ID: V251113-22 001
Lot Number: 251014@1C
Date Reported: 11/25/2025



Analysis	Method	Result
Chromatographic Purity (Total)	HPLC-UV/VIS	>99.80% $\pm$ 0.18%
Chromatographic Purity (NAD+)	HPLC-UV/VIS	99.35% $\pm$ 0.18%
Chromatographic Purity (Nicotinamide)	HPLC-UV/VIS	0.649% $\pm$ 0.18%
Quantity	HPLC-UV/VIS	278 mg/mL

Report By: Dustin Newman, Laboratory Director on 11/25/2025

Approved By: Tori Johnson, Operations Manager on 11/25/2025



Please consult A2LA Certificate #6377.01.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Purity method specifications: Result is within + 0.18%.